This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Title: GLYCEROL AS A PREDICTOR...







Figure 1A

Title: GLYCEROL AS A PREDICTOR...




Title: GLYCEROL AS A PREDICTOR...






Docket No.: WIBL-P02-522


Title: GLYCEROL AS A PREDICTOR..



Title: GLYCEROL AS A PREDICTOR...



Title: GLYCEROL AS A PREDICTOR...



٠. .

Title: GLYCEROL AS A PREDICTOR...







Figure 5



Docket No.: WIBL-P02-522

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

poly: A/G

location:13th base of exon 3

ATGCCTTCTTTTGTCAAAGATGGGTGGAACA [A/G] GACCCTAAGGAAATTCTACAT

TCTGTCT SEQ ID NO: 1

CAA vs CAG ==> silent

poly: A/C

location:17th base of intron 8

TAATGGTAAAAAACAAACAAA [A/C] AAACAAAAAACACACCAAAAAAACCAA

SEQ ID NO: 2

poly: A/G

location: 29th base of exon 10

TTCATTCTCCCTTCAACCATAGGTATGGAACAGGATGTTTCTTACTATGT [A/G] AT

ACAGGCCATAAGGTtGGTTTTTAATAAAAATGATTAAGTCA

SEQ ID NO: 3

AAT vs GAT ==> N to D

poly: G/T

location: 22nd base of intron 12

 ${\tt GAAATTGGTGAGTGTTCTAACAAAAG~[G/T]~TTAGAAAATCTGAAAAATGACACA}$

TTTCA SEQ ID NO: 4

Docket No.: WIBL-P02-522

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

SEQ ID NO: 5

Exon 1:

Exon 2:

Exon 3:

CAATGCCTTCTTTTGTCAAAGATGGGTGGAACA [A/G]GACCCTAAGGAAATTCTACATTCTGTCTATGAGGTGTATAGAGAAAACATGTGAGAAACTTGGACAGCTCAATATTGATATTTCCAACATAAAAGGTATTTTAGTAGAATATTTTACCCACA

Exon 4:

TGTAAAACGACGGCCAGTTGAGAGCTGTTTTCCTGAAGTAGTTCCTACTTGTTAAATTTTTG ACTTCCTTCTGTTTAACTTTCTCTTTAAAGCTATTGGTGTCAGCAACCAGAGGGAAACCACT GTAGTCTGGGACAAGATAACTGGAGAGCCTCTCTACAATGCTGTGGGTAAGCTGTCATGCAT GGATGTCAAATGTAGGGCCTTTCTTCACATTGCAA

Exon 5:

Exon 6:

Docket No.: WIBL-P02-522

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

Exon 7:

TGTAAAACGACGGCCAGTTGTGCTCTGCTGATTATGACCCTTAACAATATGTAAATTAAATT GCCAATAAGTACAAATTTAACCTGATTTTTTTACTCTGCCTAGAGTTTGACAGGAGGAGTCA ATGGAGGTGTCCACTGTACAGATGTAACAAATGCAAGTAGGACTATGCTTTTCAACATTCAT TCTTTGGAATGGGATAAACAACTCTGCGAGTAAGTTCTGTTTTTGCTCTAAATATAGTTTTCC CAATACACTACCTATTTATAACCGAAATCTTAATATTTTCAGATGTCAGTGGAGCA

Exon 8:

Exons 9A and 9B

Exons 10 and 11:

TTATTTGCTTTCAATAAAATTGTCTTCTATTCATTCTCCCTTCAACCATAGGTATGGAACAG GATGTTTCTTACTATGT [A/G] ATACAGGCCATAAGGTTGGTTTTTTAAATTAAAAAATTGA ${ t TTTAAAAGTCTAAGTTCATCTAAATAATGCTTGAACATAATTTACTATTAAACAACTTTTAG$ ${ t TCTTTAGCTTTACTTAATCTTTATCAGGGTTTAATTTAGAGCTCAATACAAAATTTGAATC$ GTTCTAATAAGAACCATTTTAGACTCTTTGAATTTTATATGTGTGTTTTTAATTGTGCTGGG GGGAAATCTAGACTGAGACCTCATCAAATTCTTAATGCAAATCTAATTTGAAACAAGGAATA ATTTTCTGATCATGGCCTTCTCACCACAGTGGCTTACAAACTTGGCAGAGACAAACCAGTAT ATTATGCTTTGGAAGTAAGTTCTTTTTAATCAATATGGATAATATGACAAACATTCAAAGCT AATAAAATCACAGAGTTTTCTAACACTTTTCTGGTAAATCTTAATACAGAGGACTCAAAAA GTTCTGCTTTCTTGGCATTTGATTGAGTTGAAGGAACCTGAAACTGATCTGGGTGTCAGGAC TCACAGGAGACCTTGATTAGATTGGTTCCTCAGTTCTTATGCCAATTAATCATGTCACCTTA TGCTCCAGTGTTCCAAAGAGAACCCTGGGCACAAATAGGCAGAACAACTCTCTTCACTTGTC CCACTTATCACTGGAAACATTTGTTTCAAACATTTTTGTATGTTATAGTAGGAATATGCCAG CCTAAGCCTATA

Docket No.: WIBL-P02-522

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

Exon 12:

Exon 13

Exons 14 and 15:

TGTAAAACGACGGCCAGTTGATTATGTCCAATTTTCTCTTCTGGACATTTCTGTCTACCAA ATTTGACCTTTTCATATTTGAGATATTTCAAATTGATTGGTTTATATCATTCTAATCTGAAA TGCTTTTGCTGCATTAGAAGCTGTTTGTTTCCAAACTCGAGAGGTAACAAATATGGGCCTGT ${\tt TTTCTTGTACTTAGTTCACTTTTATCACTCTTAAGTTATATGTTAACACCCGAGATTTATTC}$ AGTACTGAAAATGTAGTTAATCAAATATTAAGGCTGCCTAAATACTAATCTAAATATAAGCA ${\tt GGGTTTTCCCCCTTTTTCCAGCTGTCATTACCTTCTAAGTTCCTGTTCCCTGTCAGGCACTG}$ GGAAATTTATGGTTGTGGGGAGGCTGAGTGGCACACATTAGGCAAAGGAAACAGCACAAACA TAGGCATCaAGGCAGAAAAACAGGGTGCAAAATAGAGTTGTATAGCTTAGCTGAATATCAAG $\tt GTGAATGCAGAGGTGTAGTGAGAGAAAAGGTTGGCTGTGACCAGATCAAAGAGGGCTTAGAA$ TGGAGGATTGCCATTTTCAGAGATGTTACTATGAAATAGATTTATAACATTAATTGCACTGG TTTATTTAAGATTTTGGATGCCATGAATCGAGACTGTGGAATTCCACTCAGTCATTTGCAGG TAGATGGAGGAATGACCAGCAACAAAATTCTTATGCAGCTACAAGCAGACATTCTGTATATA TAGTTCTTTGGG

Exon 16:

Exon 17:

Docket No.: WIBL-P02-522

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

Exon 18:

Exon 19:

AAAATTACTGGCTTAAATGGAAATGATGCTTCTTATTCTGTATGTTCCCATGAAAGTGAAAC TTAAAAAAAATTCATGATTAGGGTTTCATGAAAAGGCCTTGTTTCTATGAAAATTGAGAC AGGTTGCATCTCTAAAGCTAAAAGATGGGCTATGTGTCTAGAGTCTTAGACTTCTAAAATG CATGTGGTCACTATATGTAGGTTATCTCTTCGGTGACATACACTGCAATTTGAGAGGGCTGG AAATTGTTTGCCTTGGTAAACGATTAGCAACAGTGGCAATATTTGTTAATTTTGGAATTGGC CCTGTTTGTTGCATTTTAATTGTGAGGCATGATTTAGAAATCATATGGACTTTCTAGCTTAA TAAATGATTGAATCATCTGCATTGCTTTAACTCCTGAATTGTATGCATGTATTATTGACATA TATGGTTTTTGTTCCCCATTTCAGGTATTCCATAAAACCTACCAACTCATGGATTCCCAAGA TGTGAGCTTTTTACATAATGAAAGAACCCAGCAATTCTGTCTCTTAATGCAATGACACTATT CATAGACTTTGATTTTATTATAAGCCACTTGCTGCATGACCCTCCAAGTAGACCTGTGGCT TAAACATCCACAGTTAAGGTTGGGCCAGCTACCTTTGGGGCTGACCCCCTCCATTGCCATAA CATCCTGCTCCATTCCCTCTAAGATGTAGGAAGAATTCGGATCCTTACCATTGGAATCTTCC ATCGAACATACTCAAACACTTTTGGACCAGGATTTGAGTCTCTGCATGACATATACTTGATT AAAAGGTTATTACTAACCTGTTAAAAATCAGCAGCTCTTTGCTTTTAAGAGACACCCTAAAA GTCTTCTTTTCTACATAGTTGAAGACAGCAACATCTTCACTGAATGTTTGAATAGAAACCTC ${\tt TACTAAATTATTAAAATAGACATTTAGTGTTCTCACAGCTTGGATATTTTTCTGAAAAGTTA}$ TTTGCCAAAACTGAAATCCTTCAGATGTTTTCCATGGTCCCACTAATTATAATGACTTTCTG CTTTGTATGTATAACATACATGCCTATATATTTTATACACTGAGGGAGCCCATTTATAAATA AAGAGCACATTATATTCAGAAGGTTCTAACAGGG

Application No.: Not Yet Assigned Docket No.: WIBL-P02-522 Title: GLYCEROL AS A PREDICTOR... Inventors: Daniel Gaudet, et al.

		Men			Women	
	N288D carriers	Unaffected relatives	р	N288D carriers	Unaffected relatives	d
	•	, ,		Ţ	·	
Z,	18	18		14	14	
Age (years)	46.4±14.2	42.0±18.8	0.32	44.9±13.5	43.7±17.8	0.87
Uncorrected triglyceride (mmol/L) ⁽¹⁾	6.26±1.13	2.05±0.54	<0.0001	2.84±1.20	1.30±0.65	0.0002
Glycerol (mmol/L)	3.99±0.71	0.10 ± 0.04	<0.0001	0.54 ± 0.14	0.10 ± 0.02	<0.0001
Corrected triglyceride (mmol/L) ⁽¹⁾	2.27±0.75	1.95 ± 0.53	<0.0001	2.31±1.22	1.19±0.67	0.03
Free fatty acid $(mmol/L)$	0.77±0.22	0.57±0.25	0.01	1.29±0.35	0.76±0.17	0.0004
Fasting glucose (mmol/L)	5.2±0.74	4.8±0.31	0.13	5.0±0.7	4.6±0.3	0.10
2h glucose following OGTT (mmol/L)	7.9±3.1	5.8±1.6	0.02	7.0±6.1	5.0±2.1	0.04
Fasting insulin (mU/L) ⁽¹⁾	13.3±14.0	15.1±14.8	0.62	12.2±13.1	9.0±3.4	09:0
Waist girth (cm)	97.7±9.3	88.1±12.3	0.01	88.5±3.8	79.8±5.8	0.03
Body mass index (kg/m^2)	27.9±4.1	24.9±3.9	0.03	28.1±5.5	23.1±2.3	0.001
%Total body fat	27.1±7.2	22.9±7.6	0.01	46.8±8.1	33.9±11.3	0.001
(1) Geometric mean, p after log transformati	on.					

Table 1. Characteristics of Carriers of the N288D GK Gene Mutation and of Their Unaffected Relatives

Title: GLYCEROL AS A PREDICTOR...

Inventors: Daniel Gaudet, et al.

Table 2. Fasting plasma glycerol concentration (mmol/L) in the initial cohort of 1056 individuals, by risk factor of glucose intolerance and diabetes mellitus

·			
		Glycerol	·
	No.	geometric mean \pm SD	p
Gender			
men	717	0.065 ± 0.081	
women - premenopaused	137	0.071 ± 0.093	< 0.0001
- menopaused	202	0.099 ± 0.085	
Age (Y)			
<50	486	0.071 ± 0.082	
50 - 60	408	0.076 ± 0.106	0.0015
>60	165	0.083 ± 0.053	
Fasting glucose (mmol/L)			
< 5.2	449	0.068 ± 0.080	
5.2 - 5.9	336	0.070 ± 0.090	< 0.0001
6.0 - 6.9	271	0.090 ± 0.100	0.0001
Fasting insulin (UI)			
<15	637	0.067 ± 0.082	0.02
≥15	419	0.086 ± 0.101	0.02
2 hours glucose (mmol/L)		3.333 = 3.131	
<7.8	572	0.062 ± 0.071	
7.8 - 11.0	283	0.081 ± 0.101	< 0.0001
ε11.1	201	0.102 ± 0.110	10.0001
Triglyceride (mmol/L)		0.102 - 0.110	
≤ 2,2	389	0.057 ± 0.062	< 0.0001
>2.2	667	0.087 ± 0.002 0.082 ± 0.103	~0.0001
Free fatty acid (mmol/L)		0.002 = 0.103	
< 0.6	589	0.066 ± 0.054	< 0.0001
ε0.6	467	0.000 ± 0.034 0.111 ± 0.112	~0.0001
Body mass index (kg/m2)	107	0.111 ± 0.112	•
≤ 27	428	0.060 ± 0.087	~ 0.0001
= 21	628	0.000 ± 0.00 /	< 0.0001

p value from a one-way ANOVA

Figure 9

Title: GLYCEROL AS A PREDICTOR...

Table 3. Multivariate analysis of the relationships of fasting plasma glycerol concentration with impaired glucose tolerance (2h glucose 7,8-11,0 mmol/L following a 75 g oral load) before and after adjustment for covariates identified in

	Model 1	Model 2	Model 3	Model 4
Glycerol (log)				
ß	1.75	1.62	1.46	0.77
Odds ratio	5.76	5.42	4.33	0.77 2.46
p	<0.0001	< 0.0001	< 0.0001	0.01
Triglyceride (log)				
ß		0.54	0.35	0.12
Odds ratio		1.75	1.42	1.12
р		0.02	0.11	0.63
Body mass index (I	kg/m²)			
ß	 /		0.10	0.05
Odds ratio			1.10	0.05
p			< 0.0001	1.05 0.01
Fasting insulin (log	n)	•		
ß	• /			0.57
Odds ratio				0.57
p		•		1.31 0.39
Fasting glucose (m	mol/L)			
ß	- ,			1 12
Odds ratio				1.13 2.65
p				< 0.0001
Free fatty acid (log)			
ß		-		1.62
Odds ratio	•			4.33
. p	•			4.33 0.007